

From: "Hal Anderson" [REDACTED]
Subject: Mill Creek Variance @ P&Z
Date: June 10, 2016 at 9:50:10 AM CDT
To: <Blancettskip@yahoo.com>

Hello Skip,

This is an email from my engineer to Chrissy Lee submitting our variance request. It was sent May 23, two weeks before the P&Z meeting on June 7. At that P&Z meeting Jim Reed expressed some dismay at having received information on this request the night of June 5. He stated that since he worked during the day, he really hadn't had time to review the information and understand it. Kim replied that she was sorry, it was a last minute submission and that was as soon as she could get it to him. Larry Wolfe made a motion to approve this variance (the portion pertaining to a requirement for widening Blackberry) but it died for a lack of a second. I feel it was very poorly presented to the P&Z Board so that they didn't really understand what was being required of us, thus didn't take action on the variance request. I'm going to ask Chrissy to make it more clear for the BOA next week.

Thanks,
Hal

Hal Anderson
Mill Creek Resources, LTD.
[REDACTED]
(254) 760-4500

----- Original Message ----- Subject: Mill Creek Phase VIII
From: <[REDACTED]> Date: Mon, May 23, 2016 4:39 pm
To: "Chrissy Lee" <clee@saladotx.gov> Cc: [REDACTED]
kfoutz@saladotx.gov

Chrissy,

Attached please find a copy of the variance request and a copy of the plat. Please let me know what else you need to put the variance request on the agenda.

Thank You, Jennifer Ryken, P.E., C.F.M. Project Engineer Ext. 209
TURLEY ASSOCIATES, INC. 301 North 3rd Street Temple, TX 76501
254.773.2400 254.773.3998 fax Important: This message and any attached documents accompanying this transmission may contain privileged and/or confidential information and is intended solely for the addresses(s) named above or one who is authorized to receive for the addressee(s). If you are not the intended recipient of this transmission, you are hereby notified that the copying, use, or distribution of any information of materials transmitted herewith is strictly prohibited. If you have received this message in error, please delete it and any attached documents from your system immediately and notify our office at once by replying to the email or calling our office at the number listed above. Thank you for your cooperation.